

# XML and Databases

---

## Chapter 12: XQuery I

Prof. Dr. Stefan Brass

Martin-Luther-Universität Halle-Wittenberg

Winter 2019/20

<http://www.informatik.uni-halle.de/~brass/xml19/>

# Objectives

After completing this chapter, you should be able to:

- read and understand queries in XQuery.
- write queries to XML data in XQuery.
- enumerate and explain the clauses of FLWOR expressions.
- explain the use of direct and computed constructors.
- compare XQuery with SQL.

# Inhalt

- 1 Introduction
- 2 Basic Syntax, Constructors
- 3 FLOWR-Expressions

# Introduction (1)

- One can view XML as a data model, and every data model should have a query language.
- XPath permits to
  - select nodes in a given XML document, and to
  - compute values from the data in a document, but it does not permit to generate new nodes.
- An XML query language should be able to produce new XML documents as result.
  - I.e. to transform given XML documents into documents that are differently structured, contain only a subset of the data, or additional derived data.

## Introduction (2)

- Joins are very limited in XPath (semijoins) or can be formulated only procedurally (with *for*-loops).

Note that many powerful constructs such as *for*-loops got into XPath only in Version 2.0 during the development of XQuery. Although today, XPath is sufficient for quite a lot of queries, the original XPath was much more restricted.

- One cannot sort in XPath.

Sometimes, although the result set can be determined by a simple Path expression, one must use the more advanced FLWOR-expression (an XQuery construct, see below) only for the purpose of sorting.

- Of course, a good XML query language must be at least as powerful as SQL.

## Introduction (3)

- The XML format is a common interface to a lot of different data sources (documents, relational databases, object repositories).

The data might be physically stored as XML, or might be only viable as XML via a middleware.

- An XML query language permits to combine data from different sources.

This integrating function of an XML query language is natural and important. While also SQL can be used in distributed databases, and there exist relational interfaces to non-relational data, this is much more vendor-dependent (and typically expensive).



# History (2)

- XPath 1.0 and XSLT 1.0 became a W3C Recommendation in November 1999.
- While it seemed natural that XPath-like expressions should be used also in XQuery, the XQuery committee had quite different ideas for the exact details of syntax and semantics.

XPath 1.0 came from the document processing community, not from the database community. But having two similar languages that differed in important details was obviously not good. This led to difficult negotiations and ultimately the development of XPath 2.0.





# History (4)

- The following eight documents were developed together:
  - XQuery 1.0
  - XQueryX 1.0: XML Syntax for XQuery 1.0
  - XPath 2.0
  - XSLT 2.0
  - XQuery 1.0/XPath 2.0 Data Model
  - XQuery 1.0/XPath 2.0 Formal Semantics
  - XQuery 1.0/XPath 2.0 Functions and Operators
  - XSLT 2.0/XQuery 1.0 Serialization

# History (5)

- Related documents (Working Group Notes):
  - XML Query Use Cases  
[<http://www.w3.org/TR/xquery-use-cases/>]
  - XML Query (XQuery) Requirements  
[<http://www.w3.org/TR/xquery-requirements/>]
- Extensions (Candidate Rec. May/Aug. 2008):
  - XQuery and XPath Full Text 1.0  
[<http://www.w3.org/TR/xpath-full-text-10/>]
  - XQuery Update Facility 1.0  
[<http://www.w3.org/TR/xquery-update-10/>]

# New Versions of XQuery

- XQuery 1.0 (Second Edition): December 14, 2010.  
[\[https://www.w3.org/TR/2010/REC-xquery-20101214/\]](https://www.w3.org/TR/2010/REC-xquery-20101214/)
- XQuery 3.0 (renamed from XQuery 1.1 to align with the family of “3.0” specifications): April 8, 2014.  
[\[https://www.w3.org/TR/2014/REC-xquery-30-20140408/\]](https://www.w3.org/TR/2014/REC-xquery-30-20140408/)  
This adds many new features, e.g. a GROUP BY clause, window clauses, try/catch, switch.
- XQuery 3.1: March 21, 2017.  
[\[https://www.w3.org/TR/xquery-31/\]](https://www.w3.org/TR/xquery-31/)  
Most important new features: Maps and Arrays. This was added to support also JSON, not only XML.  
See also: XPath and XQuery Functions and Operators 3.1.  
[\[https://www.w3.org/TR/xpath-functions-31/\]](https://www.w3.org/TR/xpath-functions-31/)

# XQuery vs. XSLT

- The two languages have overlapping, but not identical goals.
- XSLT was developed by the document processing community. Main use: rendering XML documents.

Although it can also be used for selecting and restructuring data.

- XQuery is a database language.
- Databases store very many / very large documents: indexes and query optimization are important (the data does not fit completely into main memory).

The data is also more regularly structured (in most cases).

# XQuery Implementations (1)

- IPSI XQ

Written in Java. [<http://sourceforge.net/projects/ipsi-xq>]

[<http://www.ipsi.fraunhofer.de/oasys/projects/ipsi-xq/>]

- AltovaXML

The engine used in XMLSpy is free (contains validator: DTD/Schema, XSLT 1.0/2.0, XQuery). [<http://www.altova.com/altovaxml.html>]

- Galax

Open source, from some authors/editors of the XQuery Specification.

[<http://www.galaxquery.org/>]

- eXist (open source native XML database)

[<http://exist.sourceforge.net/>]

Online demo: [<http://demo.exist-db.org/sandbox/sandbox.xql>]

# XQuery Implementations (2)

- X-HIVE

Commercial XML-DBMS, Online demo evaluator.

[<http://support.x-hive.com/xquery/>] (select first any demo, then “your own”). [<http://support.x-hive.com/xquery/basicervlet?demo=mo=demo0&xquery=xquery&todo=showframes>]

- Saxon (from Michael Kay)

M. Kay is editor of the XSLT 2.0 Spec. Basic version (without static type checking and XQuery→Java compiler) is open source. Supports XSLT 2.0, XPath 2.0, XQuery 1.0. [<http://saxon.sourceforge.net/>]

- Qizx/open (open source Java implementation)

In Java. Limited version is free. [<http://www.axyana.com/qizxopen/>]  
Online demonstration:  
[<http://www.xmlmind.com:8080/xqdemo/xquery.html>]

# Example Document (1)

STUDENTS			
<u>SID</u>	FIRST	LAST	EMAIL
101	Ann	Smith	...
102	David	Jones	NULL
103	Paul	Miller	...
104	Maria	Brown	...

EXERCISES			
<u>CAT</u>	<u>ENO</u>	TOPIC	MAXPT
H	1	ER	10
H	2	SQL	10
M	1	SQL	14

RESULTS			
<u>SID</u>	<u>CAT</u>	<u>ENO</u>	POINTS
101	H	1	10
101	H	2	8
101	M	1	12
102	H	1	9
102	H	2	9
102	M	1	10
103	H	1	5
103	M	1	7



## Example Document (2)

- Translation to XML with data values in elements:

```
<?xml version='1.0' encoding='ISO-8859-1'?>
<GRADES-DB>
  <STUDENTS>
    <STUDENT>
      <SID>101</SID>
      <FIRST>Ann</FIRST>
      <LAST>Smith</LAST>
    </STUDENT>
    ...
  </STUDENTS>
  ...
</GRADES-DB>
```

# First Example (1)

- Print all results for Homework 1:

```

for $s in /GRADES-DB/STUDENTS/STUDENT,
    $r in /GRADES-DB/RESULTS/RESULT
where $s/SID = $r/SID and
    $r/CAT = 'H' and
    $r/ENO = 1
return <h1>{ $s/LAST, $r/POINTS }</h1>

```

- Result:

```

<h1><LAST>Smith</LAST><POINTS>10</POINTS></h1>
<h1><LAST>Jones</LAST><POINTS>9</POINTS></h1>
<h1><LAST>Miller</LAST><POINTS>5</POINTS></h1>

```

## First Example (2)

- A characteristic feature of XQuery are “FLWOR-expressions” (pronounced “Flower-expressions”).
- This name is derived from the keywords **for**, **let**, **where**, **order by**, **return**.
  - They are written “FLWOR-expressions”, and pronounced “Flower”, although two characters are exchanged: **where** comes before **order by**.
- The **for**-clause corresponds to **FROM** in SQL: It generates a sequence of variable bindings.
- The **return**-clause corresponds to **SELECT** in SQL: It produces a piece of output for each variable binding that satisfies the **where**-clause.

# First Example (3)

- Note that the order of the clauses in XQuery fits better with the evaluation sequence: Also in SQL, **FROM** is conceptually evaluated first, and **SELECT** last.

- In XQuery, all keywords are written in lower case.

In contrast, SQL is case-insensitive. However, since case is important in XML, the choice for XQuery seems natural. As XPath, XQuery has no reserved words. It is possible to name an element **for**.

- XPath 2.0 is a subset of XQuery, i.e. FLWOR-expressions are not the only type of queries.

The **for**-loop in XPath is a simplified version (special case) of the FLWOR-expression in XQuery.

# First Example (4)

- Expressions can be arbitrarily nested, also inside explicitly given XML (direct element constructors).
- `<` starts literal XML mode, and `{...}` marks sections that must be evaluated:

```
<result>{ for ... where ... return ... }</result>
```

- Result:

```
<result>  
  <h1><LAST>Smith</LAST><POINTS>10</POINTS></h1>  
  <h1><LAST>Jones</LAST><POINTS>9</POINTS></h1>  
  <h1><LAST>Miller</LAST><POINTS>5</POINTS></h1>  
</result>
```

# First Example (5)

- Of course, the value of an XQuery expression is an XDM sequence.
- How this is printed (“serialized”) depends on the implementation (most have options to control this).
- E.g., it could be written into one long line, or indented with one element per line:

```
<result>  
  <h1><LAST>Smith</LAST>  
  <POINTS>10</POINTS>  
  </h1>  
  ...  
</result>
```

# Inhalt

- 1 Introduction
- 2 Basic Syntax, Constructors**
- 3 FLOWR-Expressions

# Constructors: Overview

- An important difference between XPath and XQuery is that XQuery can generate new nodes, XPath can only select nodes from given documents.
- Creating new nodes is done by constructors.
- There are two types of constructors in XQuery:
  - Direct constructors, which look like XML text. There e.g. the node name is explicitly given.
  - Computed constructors, which have a new syntax, and permit to compute e.g. the node name by an expression.



# Direct Constructors (1)

- A direct constructor looks like XML text that is directly copied to the output, but one can embed XQuery expressions to be evaluated in `{...}`.
- For example, the XQuery expression

```
<a b="Aufg.{1*1}">1+1={1+1}</a>
```

is evaluated to `<a b="Aufg.1">1+1=2</a>`.

- Direct constructors are parsed by XQuery, they are not copied character by character to the output.

The internal XDM representation of the output is constructed, thus e.g. information about extra whitespace/line breaks inside tags is lost.

# Direct Constructors (2)

- If one needs curly braces “{” or “}” in the data, one must double them: “{{” or “}}”.

Alternatively, one can use character references: `&#x7b;` and `&#x7d;`.

- Because the direct constructor only mimics XML, but is defined in the XQuery grammar, there is a slight difference: When one encloses an attribute value inside “”, one can use “” to denote the character ” inside the string.

Correspondingly, when one encloses it in ’, the apostrophe is written ’’.

This is the XQuery/XPath convention, not the XML convention.

There one must use an entity reference or a character reference.

## Direct Constructors (3)

- Furthermore, entity references and character references are expanded, not copied to the output:

- Only the predefined entities (`&lt;`, `&gt;`, `&amp;`, `&quot;`, `&apos;`) can be used in entity references.

It might be that the output serialization uses these entity references again if the character itself would be invalid (e.g. `&quot;` inside a `"`-delimited attribute value). But if it is not necessary to use the entity reference, it will be printed in expanded form.

- In the same way, character references are expanded (e.g., `&#97;` is replaced by `"a"`).

Again, the output must of course be valid XML, which might require some form of escaping (entity / character references).

# Direct Constructors (4)

- XQuery comments (`(: ... :)`) cannot be used in the direct element constructor, neither in the tags nor in the content (except of course inside `{...}`).

In the tags they are a syntax error, in the content they are considered as text data. Formally, comments can appear everywhere where “ignorable whitespace” can appear. A few productions in the XQuery grammar are marked with `/* ws:explicit */`. Inside these productions, the nonterminal `S` (known from the XML grammar) is used to mark explicitly where whitespace is allowed. This nonterminal does not match the XQuery comment. The productions for the direct element constructor have this explicit whitespace. In this way they are made more compatible with the real XML grammar, although I personally do not see the advantage of forbidding comments inside tags.



# Direct Constructors (5)

- Allowed occurrences of embedded XQuery expressions (`{...}`) inside direct element constructors:

- The element name (element type) and the attribute names must be given explicitly (a QName), and cannot be computed with `{...}`.

If one wants to compute these, one must use the computed element constructor (see below).

- Embedded XQuery expressions (`{...}`) can be used only inside the attribute value (inside `"..."` or `'...'`) and in the element content.

# Direct Constructors (6)

- If `{...}` is used in an attribute value, the constructed attribute value is computed as follows:
  - The expressions inside `{...}` are evaluated and atomization is applied to the result.
  - Thus, one gets a sequence of atomic values for each `{...}`. These values are converted (with a cast) to strings, and concatenated with a single space between each pair.

At the beginning and the end of the sequence, no space is inserted, thus the empty sequence gives the empty string.

# Direct Constructors (7)

- Computation of attribute value, continued:
  - Then the explicitly given characters and the strings resulting from each `{...}` are concatenated without adding spaces.

- Example:

```
<a b="xy{ 1 to 3 }z{ 3, 4 }" />
```

is evaluated to `<a b="xy1 2 3z3 4"/>`.

- If the attribute name is `xml:id`, the attribute value is treated specially (as an ID).

# Direct Constructors (8)

- The content of a direct element constructor can contain (between start tag and end tag):
  - Literal text (without the characters `<`, `{`, `}`, `&`),
  - entity references for the five predefined entities,
  - character references,
  - CDATA sections: `<![CDATA[...]]>`,
  - enclosed expressions: `{...}`,
  - other direct constructors (for element, comment, and processing instruction nodes).



# Direct Constructors (9)

- Even variable references are not interpreted inside the content (or attribute value) of a direct element constructor: The “\$”-sign is treated as literal text.

- For example

```
for $i in (1, 2, 3) return <a>$i</a>
```

gives

```
<a>$i</a>
```

```
<a>$i</a>
```

```
<a>$i</a>
```

- Inside the constructor, one must write `{ $\$i$ }` to get the value of the variable  `$\$i$` .

# Direct Constructors (10)

- A sequence of whitespace characters (e.g. spaces, line breaks) within the content of a direct element constructor is considered “**boundary whitespace**” if it is delimited on both sides by
  - the start or end of the content (i.e. the start tag or end tag of the direct element constructor), or
  - and enclosed direct constructor (e.g. start and end tags of direct element constructors), or
  - an enclosed expression `{...}`.

Space characters generated by character references, CDATA sections, or enclosed expressions do not count as whitespace here.

# Direct Constructors (11)

- Boundary whitespace is
  - eliminated if the boundary whitespace policy in the static context is “**strip**”,
  - and it is copied to content of the constructed element node if the boundary whitespace policy is “**preserve**”.
- The boundary whitespace policy can be set with a declaration in the prolog:
 

```
declare boundary-space preserve;
```
- The default is implementation-defined.

# Direct Constructors (12)

- **Exercise:** How does this XQuery expression look like without the boundary whitespace?

```
<a>  
  <b> xy </b>  
  <c> {"xy"} </c>  
  <d> &#x20; <!-- This is a space --> </d>  
  (: Be careful here! :)  
</a>
```

- The example shows also a direct comment constructor.  
  
One cannot use enclosed expressions `{...}` in a direct comment constructor. One must write the comment explicitly. But there is of course also a computed comment constructor (see below).

# Direct Constructors (13)

- The content of a direct element constructor is evaluated to a sequence of nodes as follows:
  - Each consecutive sequence of literal characters (including characters from entity/character references and CDATA sections) evaluates to a single text node.
  - Each nested direct constructor is evaluated, resulting in a new node.

The parent property of this new node is set to the element node that is currently being constructed. The standard also explains how the `base-uri-property` is set (see Section 3.7.1.3).



# Direct Constructors (15)

- Evaluation of content of direct element constructor, cont.:
  - A document node is replaced by its children.
  - Now there might be again adjacent text nodes, which are merged into a single text node.
- It is permitted that the resulting sequence contains attribute nodes, but only at the very beginning.
- These become attributes of the constructed element nodes (in addition to the attributes explicitly specified in the direct element constructor), the remaining nodes become its children.

# Direct Constructors (16)

- The construction and copying of nodes is influenced by the **construction mode**, which can be:

- **strip**: a new document is constructed without the information generated only by the validation.

So the new node as well as the copied element nodes receive the type `xs:untyped`, and copied attribute nodes are treated as `xs:untypedAtomic`. Properties `nilled`, `is-id`, and `is-idrefs` are all set to false (except for attribute nodes called `xml:id`). All typed values stored in the original nodes are converted to strings.

- **preserve**: information from schema-validation of the original document is preserved.

The new node gets the type `xs:anyType`, but all copied nodes retain their original type. Properties like `nilled` are copied.









# Computed Constructors (2)

- E.g. the XQuery expression

```
element STUDENT {  
  element SID { 101 }  
  element FIRST { "Ann" }  
  element LAST { "Smith" }  
}
```

gives

```
<STUDENT>  
  <SID>101</SID>  
  <FIRST>Ann</FIRST>  
  <LAST>Smith</LAST>  
</STUDENT>
```

# Computed Constructors (3)

- One can also compute the element (type) name:

```
element { concat("S", "ID") } { 100+1 }
```

- Atomization is applied to the name expression.

afterwards it must be of type `xs:QName`, `xs:string`, or `xs:untypedAtomic`.

- Otherwise, the processing is done as for direct constructors.

Especially, if the result of evaluating the content expression of an element constructor starts with attribute nodes, these are assigned to the constructed element node.

- If the content expression is missing, the content is empty. One must still write `{}` in this case.













# FLWOR-Expressions (4)

- Semantically, it makes no difference whether several variables are bound in a single `for/let`-clause, or whether the keyword is repeated each time.

This is of course the same rule as for the `for`-expressions in XPath.

- For instance,

```
for $i in ('a', 'b'), $j in (1, 2)
return element {$i} {$j}
```

is equivalent to:

```
for $i in ('a', 'b')
for $j in (1, 2)
return element {$i} { $j }
```



# FLWOR-Expressions (6)

- Thus, the sequence in which variables are declared in the `for`-clause is important.

In contrast, in SQL the sequence of variable declarations under `FROM` is semantically not important.

- If one exchanges the two variable declarations, i.e.

```
for $j in (1, 2), $i in ('a', 'b')
return element {$i} {$j}
```

the output is produced in a different order:

```
<a>1</a>
```

```
<b>1</b>
```

```
<a>2</a>
```

```
<b>2</b>
```

# FLWOR-Expressions (7)

- Together, the **for** and **let** clauses produce a sequence of variable assignments (mapping each variable to a value, i.e. an XDM sequence).
- The XQuery standard uses the word “tuple” instead of “variable assignment”.

I consider that unfortunate, because it makes the comparison with SQL more difficult (where each variable is bound to a “tuple”). The standard uses the word “variable binding” for the association between a single variable and its value. A “tuple” consists of “variable bindings”. Of course, it is formally true, that a tuple is the generalization of pair, triple, and so on, and here several “variable bindings” are combined (a tuple can also be seen as a mapping from names to values, which fits here, too, but usually the names are column names).



# FLWOR-Expressions (9)

- Next, the **where**-clause acts as a filter on the “tuple stream” (sequence of variable assignments).
- For each variable assignment, the expression under **where** is evaluated, and its effective boolean value is determined.
- If it is false, the variable assignment is deleted from the sequence.

I.e. the remaining sequence of variable assignments contains only those variable assignments for which the **where**-condition is true. The variable assignments remain in the same relative order in which they were generated by the **for** and **let**-clauses.



# FLWOR-Expressions (10)

- Because the effective boolean value is automatically determined, one can easily check the existence of a node:

```

for $s in //STUDENT
where //RESULT[SID=$s/SID and CAT='H']
return $s/LAST

```

(students who submitted at least one homework).

Remember that the effective boolean value of a sequence that starts with a node is true, whereas the effective boolean value of the empty sequence is false. Other possible cases are singleton sequences of boolean type, of string type including `anyURI` and `untypedAtomic` (only the empty string is considered false), and of numeric type (only NaN and 0 are treated as false). In all other cases, a type error occurs.



# FLWOR-Expressions (12)

- The length of the result sequence can differ from the number of variable assignments considered, because the `return`-expression can evaluate to a sequence of arbitrary length (0, 1, or more).
- In the following query, there is one variable assignment per SQL exercise (2), but the output sequence contains one entry per solution ( $5 = 2 + 3$ ):

```
for $e in //EXERCISE[TOPIC='SQL']
return //RESULT[CAT=$e/CAT and ENO=$e/ENO]
```

# FLWOR-Expressions (13)

- All subexpressions of the FLWOR-expression are “ExprSingle”, thus the operator “,” for sequence concatenation can be used only inside (...).
- The entire FLWOR-expression has a higher priority than the comma operator, thus

```
for $i in (1, 2, 3)
return <a> {$i} </a>, <b/>
```

is not a syntax error, but returns

```
<a>1</a>
<a>2</a>
<a>3</a>
<b/>
```

# FLWOR-Expressions (14)

- If one uses constructors under **return**, all nodes are new (entire subtrees are copied).
- If one uses only standard XPath-expressions (e.g. variable names), no copying is done.

This also necessary for the compatibility with XPath, which has simple **for**-loops and never constructs new nodes (only new sequences).

- For example, the following returns "yes":

```
let $x := (<a/>)
let $y := (for $x1 in $x return $x1)
let $z := (for $x2 in $x return $x2)
return if($y is $z) then "yes" else "no"
```

# for-Clause: Details (1)

- The scope of a variable declared with `for` or `let` extends from the point just after the binding expression (which defines the values for the variable) to the end of the FLOWR-expression.
- Thus, the variable can already be used in binding expressions for other variables declared later in the same `for`-clause:

```
for $s in //STUDENT, $r in //RESULT[SID=$s/SID]
return element solved {$s/LAST, $r/CAT, $r/ENO}
```

## for-Clause: Details (2)

- This rule for the scope of variables fits with the equivalence with nested `for`-loops.
- It differs from SQL: There the variable declarations in the `FROM`-clause are conceptually done in parallel.

Thus, one cannot use a tuple variable in a subquery later in the same `FROM`-clause. This gives the query optimizer more freedom to determine the join order.

- It is legal (but bad style) to declare several variables with the same name in a `FLWOR`-expression:  
Each new declaration shadows the previously declared variable for the rest of the `FLWOR`-expression.







## for-Clause: Details (5)

- It is also possible to declare a type for the variable:

```
for $p as xs:decimal
    in //RESULT[CAT='H' and ENO=1]/POINTS
return $p div 10
```

- As I understand the standard, this is a type assertion (like “`treat as`”), so it should give an error here (an element node is not a decimal value).

Type assertions might be necessary to permit static type checking.

- AltovaXML complains only if it cannot convert the value to the required type (treats it as type cast).
- Positional variables always have type `xs:integer`.



# let-Clause: Details

- The **let**-clause consists of a comma-separated list of one or more variable declarations with a slightly different syntax than under **for** (to emphasize that the entire sequence is bound to the variable):
  - Name of the variable (starting with “\$”),
  - optionally, a type declaration, consisting of the keyword “**as**” and a sequence type,
  - the symbol “:=”, and an “ExprSingle”.
- Of course, positional variables make no sense in the **let**-clause (and are therefore not permitted).





# Ordering Mode (3)

- Thus, ordering mode **unordered** is not only a question of the output sequence, but can modify also the selected values.

Actually, that is not so astonishing, because the arbitrary nesting of XQuery expressions means that as soon as one allows a different result sequence in FLWOR-expressions, one could anyway get an entirely different result for the entire query, not only a permutation. Everything in XQuery is a sequence, and the exact order matters in many places.

- When one uses the XPath function **unordered(...)** only at this single point an arbitrary permutation is allowed (not everywhere inside as with the ordering mode). E.g. positions inside remain meaningful.

# Ordering Mode (4)

- Whether the nondeterminism is bad, depends on the data (it might have been better to declare this in the schema instead of in the query):

- If, e.g., the data are a dump from a relational database, the order of the rows is meaningless.

It only occurs because the data must be written to a file in some order. The problem is that XML permits to use this order and that XML makes the impression that the order might mean something.

- Then nobody would use positions in the query or other constructs that depend on the order.

And one does not want to pay a price for getting a specific order if that order is anyway irrelevant.



# Ordering Mode (5)

- The ordering mode is part of the static context and be set in the prolog, e.g.

`declare ordering ordered`

and locally inside the query with the expressions

- `ordered {...}`, and

I.e. for evaluating "...", the ordering mode is set to "ordered".

- `unordered {...}`.

Note the difference to `unordered(...)`, the XPath function.

- The default value is implementation-defined.

This seems unfortunate, because it immediately causes portability problems: The ordering mode is important for nearly every query.

# Ordering Mode (6)

- E.g. suppose that the homework results are stored in the document in order of submission (i.e. new entries are always appended at the end).
- If one wants to print all student names in the sequence in which they submitted Homework 1, this can be done as follows:

```
ordered {  
  for $r in //RESULT, $s in //STUDENT  
  where $r/CAT = 'H' and $r/ENO = 1  
        and $r/SID = $s/SID  
  return $s/LAST  
}
```

# order by Clause (1)

- With the **order by** clause, one can sort the tuple stream (variable assignments) generated by **for/let**.

After passing the filter of the **where**-clause and before the **return**-clause is evaluated.

- This is done by defining one or more expressions, the values of which are used for sorting, e.g.

```
for $s in //STUDENT, $r in //RESULT[SID=$s/SID]
where $r/CAT = 'H' and $r/ENO = 1
order by $r/POINTS
return $s/LAST
```





# order by Clause (4)

- For each expression, one can specify **ascending** or **descending**:
  - **ascending** is the default: The least value is listed at the beginning, the greatest at the end.
  - **descending** selects the inverse order: The maximum value is listed first, and then successively smaller values, until the minimum value.
- The abbreviations **asc** and **desc** known from SQL are not supported in XQuery.

# order by Clause (5)

- Another difference to SQL is that XQuery does not require that the values used for sorting are also printed.

However, modern SQL DBMS do not actually have this requirement.

- For each column, one can specify
  - **empty greatest**: The empty sequence is listed last in ascending order (first in descending order).

And NaN comes immediately before the empty sequence in ascending order (immediately after it in descending order).
  - **empty least**: The empty sequence comes first in ascending order, last in descending order.

# order by Clause (6)

- Thus, the `order by` clause consists of a comma-separated list of one or more “order specs”, each of which consists of
  - an “ExprSingle” (values used for sorting),
  - optionally, one of the keywords “`ascending`” or “`descending`”,
  - optionally, one of the phrases “`empty greatest`” or “`empty least`”,
  - optionally, the keyword “`collation`” and an URI literal (this defines the sort order for strings).



# order by Clause (7)

- Finally, instead of “**order by**”, one can also write “**stable order by**”.
- This means that if the sort criteria give no decision, the original order of the variable assignments must be kept (derived from the document order and the sequence/nesting of **for**-loops).
- Of course, if an **order by** clause is specified, this takes precedence over the ordering mode “**unordered**”.

# order by Clause (8)

- Strings are sorted differently from numbers, e.g. the string "12" is sorted before the string "9".

Already the first character is different and decides the sort order.

- If one uses a document without schema, or an XQuery system without validation, the type of (attribute or element) values is `untypedAtomic`.
- This is converted to `string` for comparison.
- Thus, "`order by $r/POINTS`" will not work. One has to write "`order by number($r/POINTS)`".

Alternative: `xs:integer(...)`.

# References

- Scott Boag, Don Chamberlin, Mary F. Fernández, Daniela Florescu, Jonathan Robie, Jérôme Siméon (Eds.):  
XQuery 1.0: An XML Query Language.  
W3C Recommendation 23 January 2007.  
[\[http://www.w3.org/TR/xquery/\]](http://www.w3.org/TR/xquery/)
- Wolfgang Lehner, Harald Schöning:  
XQuery. Grundlagen und fortgeschrittene Methoden.  
dpunkt.verlag, 2004, ISBN 3-89864-266-6, 290 Seiten.  
[\[http://www.xquery-buch.de/\]](http://www.xquery-buch.de/)
- Howard Katz (Ed.), Don Chamberlin, Denise Draper, Mary Fernández, Michael Kay, Jonathan Robie, Michael Rys, Jérôme Siméon, Jim Tivy, Philip Wadler:  
XQuery from the Experts. A Guide to the W3C XML Query Language.  
Pearson Education Inc., 2004, ISBN 0-321-18060-7, 484 pages.
- Jim Melton, Stephen Buxton:  
Querying XML: XQuery, XPath, and SQL/XML in Context.  
Morgan Kaufmann/Elsevier, 2006, ISBN 1-55860-711-0, 815 pages.
- Rudolf Jansen:  
XQuery: Eine praxisorientierte Einführung.  
Software & Support Verlag GmbH, 2004, ISBN 3-935042-65-5, 167 Seiten.